



knikerboker  
the art of hand made



2025 NEWS  
HOME LIGHTING SCULPTURES



## INDEX

|        |                        |
|--------|------------------------|
| Pag. 5 | Sconquasso             |
| 9      | Zona D'ombra           |
| 15     | Zona D'ombra Small     |
| 19     | Le Piccoline           |
| 23     | Nuvole di Drago        |
| 27     | Punto!                 |
| 31     | Doppiozero sospensione |
| 35     | Chiave di Sol          |



# SCONQUASSO

Sconquasso is the lamp that shakes up the ordinary:  
a shot in the centre of a **metal disc** creates an adjustable light  
that irradiates the space with personality and strenght.  
An **impactful design**, created to leave its mark.



## Sconquasso 60<sub>p/pl</sub>

Wall/ceiling lamp  
hand-thumped steel Ø cm 60


Steel base Ø cm 12,5X4

Spread cm 20/22

Weight kg 6

1 led COB  
14W – max 350mA  
2900 Lm emitted  
3000°K – CRI>85  
Phase cut dimmable  
power supply included

2700°K and other dimming  
ways on request



## Sconquasso 100<sub>p/pl</sub>

Wall/ceiling lamp  
hand-thumped steel Ø cm 100


Steel base Ø cm 14X4

Spread cm 31/33

Weight kg 8

1 led COB  
14W – max 350mA  
2900 Lm emitted  
3000°K – CRI>85  
Phase cut dimmable  
power supply included

2700°K and other dimming  
ways on request



## Sconquasso 150<sub>p/pl</sub>

Wall/ceiling lamp  
hand-thumped steel Ø cm 150



Steel base Ø cm 16,5X5,5 adjustable

Spread cm 45/48

Weight kg 16

1 led COB  
14W – max 350mA  
2900 Lm emitted  
3000°K – CRI>85  
Phase cut dimmable  
power supply included

2700°K and other dimming  
ways on request





# ZONA D'OMBRA

an irregular, hand-beaten sheet  
illuminated by the beam produced by one or two **spotlights**  
creates alternating of flashes and  
**shadows** that chase each other capturing our gaze.

## zona d'ombra A p/pl a 1

Wall/ceiling lamp  
hand-thumped steel  
cm 108X92


Steel base Ø cm 14X4,5

Spread +/- cm 25 - 30

Weight kg 4,8

1 led COB  
14W - 350mA  
2900 Lm emitted  
3000°K - CRI 85  
Phase cut dimmable  
power supply included

2700°K and other dimming  
ways on request



## zona d'ombra A p/pl a 2

Wall/ceiling lamp  
hand-thumped steel  
cm 108X92


Steel base Ø cm 14X4,5

Spread +/- cm 25 - 30

Weight kg 5,2

2 led COB  
14W - 350mA  
3900 Lm emitted  
3000°K - CRI 85  
Phase cut dimmable  
power supply included

2700°K and other dimming  
ways on request



## zona d'ombra B p/pl a 1

Wall/ceiling lamp  
hand-thumped steel  
cm 120X90


Steel base Ø cm 14X4,5

Spread +/- cm 25 - 30

Weight kg 5

1 led COB  
14W - 350mA  
2900 Lm emitted  
3000°K - CRI 85  
Phase cut dimmable  
power supply included

2700°K and other dimming  
ways on request



## zona d'ombra B p/pl a 2

Wall/ceiling lamp  
hand-thumped steel  
cm 120X90


Steel base Ø cm 14X4,5

Spread +/- cm 25 - 30

Weight kg 5,4

2 led COB  
14W - 350mA  
3900 Lm emitted  
3000°K - CRI 85  
Phase cut dimmable  
power supply included

2700°K and other dimming  
ways on request





## zona d'ombra A sosp a 1

Suspension lamp  
hand-thumped steel  
cm 108X92

Steel base Ø cm 16X6


3 steel cables cm 200  
Silicon cable cm 200

Spread +/- cm 26/28

Weight kg 5,4

1 led COB  
14W – max 350mA  
2900 Lm emitted  
3000°K – CRI>85  
Phase cut dimmable  
power supply included

2700°K and other dimming  
ways on request



## zona d'ombra B sosp a 1

Suspension lamp  
hand-thumped steel  
cm 120X90

Steel base Ø cm 16X6


3 steel cables cm 200  
Silicon cable cm 200

Spread +/- cm 24/26

Weight kg 5,8

1 led COB  
14W – max 350mA  
2900 Lm emitted  
3000°K – CRI>85  
Phase cut dimmable  
power supply included

2700°K and other dimming  
ways on request



## zona d'ombra A sosp a 2

Suspension lamp  
hand-thumped steel  
cm 108X92

Steel base Ø cm 16X6


3 steel cables cm 200  
Silicon cable cm 200

Spread +/- cm 26/28

Weight kg 5,4

2 led COB  
14W – max 350mA  
3900 Lm emitted  
3000°K – CRI>85  
Phase cut dimmable  
power supply included

2700°K and other dimming  
ways on request



## zona d'ombra B sosp a 2

Suspension lamp  
hand-thumped steel  
cm 120X90

Steel base Ø cm 16X6


3 steel cables cm 200  
Silicon cable cm 200

Spread +/- cm 24/26

Weight kg 5,8

2 led COB  
14W – max 350mA  
3900 Lm emitted  
3000°K – CRI>85  
Phase cut dimmable  
power supply included

2700°K and other dimming  
ways on request



# ZONA D'OMBRA small



## zona d'ombra small p/pl

Wall/ceiling lamp  
hand-thumped steel  
cm 79X41


Steel base Ø cm 11,5X3,5

Spread +/- cm 23 - 26

Weight kg 2,3

1 led COB  
14W - 350mA  
2900 Lm emitted  
3000°K - CRI 85  
Phase cut dimmable  
power supply included

2700°K and other dimming  
ways on request



## zona d'ombra small sospensione

Suspension lamp  
hand-thumped steel  
cm 79X41

Steel base Ø cm 12,5X4


3 steel cables cm 200  
Silicon cable cm 200

Spread +/- cm 23 - 26

Weight kg 4,1

1 led COB  
14W - 350mA  
2900 Lm emitted  
3000°K - CRI 85  
Phase cut dimmable  
power supply included

2700°K and other dimming  
ways on request





# LE PICCOLINE

a **mignon-sized** light jewel with great character.  
This lamp, modular in cascades of small and elegant  
elements, refracts light in shimmering plays  
**decorating the space** with refinement.

## le piccoline a 32

Suspension lamp  
hand-thumped steel  
32 piccoline  
cm 12X11X11


Steel base cm 125X22X7

Silicon coaxial cables  
n. 8 cm 100  
n. 8 cm 150  
n. 8 cm 200  
n. 8 cm 250

Lamps weight kg 5  
Base weight kg 11

32 ministar module  
134,4W - 350mA  
13120 Lm emitted  
3000°K - CRI > 90  
Dimmable  
power supply included

2700°K on request





## le piccoline a 5

Suspension lamp  
hand-thumped steel  
5 piccoline  
cm 12X11X11

Steel base Ø cm 24,5X5

Silicon coaxial cables  
n. 2 cm 100  
n. 2 cm 150  
n. 1 cm 200

Lamps weight kg 0,6  
Base weight kg 3

5 ministar module  
21W - 350mA  
2050 Lm emitted  
3000°K - CRI > 90  
Dimmable  
power supply included

2700°K on request



## le piccoline a 1

Suspension lamp  
hand-thumped steel  
cm 12X11X11

Steel base Ø cm 7,5X3,5

Silicon coaxial cables cm 150

Weight kg 0,3

Ministar module  
4,2W - 350mA  
410 Lm emitted  
3000°K - CRI > 90  
Dimmable  
power supply included

2700°K on request



# NUVOLE DI DRAGO

like when you look at the sky at night and see clouds shining, this time, however, they are **gold** and **copper**. delicate and airy; a multitude of fine threads of different materials woven into this precise warp.

and just as when it rains at night, the drops can only be seen against the light, as well as the imperceptible thread that supports these light shiny **clouds**.



## nuvole di drago


Suspension lamp  
15 small clouds  
in brass and copper  
interlaced wire meshes  
cm 100X150

Aluminium base  
cm 18X9X3,5

Weight kg 1,3

Led bar  
25W max 700mA  
4000 Lm emitted  
3000°K - CRI 85  
Phase cut dimmable  
power supply included

2700°K and other dimming  
ways on request





## nuvole di drago special

### nuvola 1

Suspension lamp  
1 small cloud  
in brass or copper  
interlaced wire meshes  
cm 17X8

Steel base  
Ø cm 12,5X4

Silicon coaxial cable cm 150

Weight kg 0,30

1 led  
3W - max 700mA  
300 Lm emitted  
3000°K - CRI>80  
Power supply included

2700°K on request







# PUNTO! SNODO

minimalist and elegant without that touch of luxury that only plated gold gives you. **Punto**, or translated “period” is perfect for giving shine, even when the light is off.

**enrich** the enviroment with this small but impactful jewel; bedrooms, hallways, entrances, **the list goes on...**





# PUNTO!

## PARETE/PLAFONE

### punto! 1 p

Wall lamp  
in polished steel  
ø cm 11X17


Steel base ø cm 7,5X4

Spread cm 17

Weight kg 0,3

1 led COB  
14W - 350mA  
2900 Lm emitted  
3000°K - CRI 85  
Phase cut dimmable  
power supply included

2700°K on request



### punto! 1 pl

Ceiling lamp  
in polished steel  
ø cm 11X21


Steel base ø cm 7,5X4

Spread cm 21

Weight kg 0,3

1 led COB  
14W - 350mA  
2900 Lm emitted  
3000°K - CRI 85  
Phase cut dimmable  
power supply included

2700°K on request



### punto! 2 p

Wall lamp  
in polished steel  
ø cm 14X21


Steel base ø cm 7,5X4

Spread cm 20

Weight kg 0,4

2 led COB  
14W - 350mA  
3900 Lm emitted  
3000°K - CRI 85  
Phase cut dimmable  
power supply included

2700°K on request



### punto! 2 pl

Ceiling lamp  
in polished steel  
ø cm 14X25


Steel base ø cm 7,5X4

Spread cm 25

Weight kg 0,4

2 led COB  
14W - 350mA  
3900 Lm emitted  
3000°K - CRI 85  
Phase cut dimmable  
power supply included

2700°K on request



# DOPPIOZERO

## SOSPENSIONE

hanging from a thread, no holes or welding, just a game of precision and **balance**.





## doppiozero 25 s

Suspension lamp  
in polished steel  
Ø cm 25X12


Steel base  
Ø cm 12,5X3

Silicon coaxial cable cm 150

Weight kg 1,1

1 led COB  
14W - 350mA  
2900 Lm emitted  
3000°K - CRI 85  
Phase cut dimmable  
power supply included

2700°K and other dimming  
ways on request



## doppiozero 30 s

Suspension lamp  
in polished steel  
Ø cm 30X14


Steel base  
Ø cm 12,5X3

Silicon coaxial cable cm 150

Weight kg 1,3

1 led COB  
14W - 350mA  
2900 Lm emitted  
3000°K - CRI 85  
Phase cut dimmable  
power supply included

2700°K and other dimming  
ways on request



## doppiozero 40 s

Suspension lamp  
in polished steel  
Ø cm 40X17


Steel base  
Ø cm 12,5X3

1 steel cable cm 200  
Silicon coaxial cable cm 200

Weight kg 2,6

1 led COB  
14W - 350mA  
2900 Lm emitted  
3000°K - CRI 85  
Phase cut dimmable  
power supply included

2700°K and other dimming  
ways on request



# CHIAVE DI SOL

not your regular home sculpture

it is no mystery as to why historically gold is considered the most precious of alloys.

**maintaining the charm of** the baroque and adding the elegance and simplicity of the line, this **musical note** gives off luster, dazzling the observer with a warm and mysterious light.

## chiave di sol tavolo

Table lamp  
in hand made  
polished steel  
15X9X38

Steel base  
cm 15X9X1

Weight kg 1,5

1 Ministar led  
2W - max 500mA  
280 Lm emitted  
3000°K - CRI 85  
Dimmable power adapter  
included

2700°K on request





n.96 SCHEGGE  
in gold finishing  
private installation

# GENERAL information

Tutte le lampade Knikerboker vengono realizzate con materiali di qualità e sottoposte ad un attento controllo e collaudo finale. Il controllo delle lampade durante le fasi della produzione ne garantisce la totale qualità. I nostri prodotti sono contrassegnati e sottoposti all'applicazione delle normative CE ed appartengono alla Classe I, in IP 20. Knikerboker garantisce i propri prodotti secondo le normative stabilite dalla comunità europea, dalla data di acquisto. La garanzia dà diritto alla sostituzione, riparazione gratuita di tutte le parti soggette a vizi di fabbricazione, escludendo danni arrecati da rotture di trasporto, riparazione da terzi, danni o manomissioni e da uso improprio. La garanzia esclude le lampadine, i trasformatori e gli alimentatori. E' escluso altresì il prolungamento della garanzia successivamente ad una riparazione del prodotto. Nessuna responsabilità è assunta per danni accidentali a persone e/o cose in seguito all'uso improprio dei prodotti.

Dimmerazione:

Tutti gli articoli dimmerabili devono essere utilizzati con dimmer compatibili con le caratteristiche tecniche specificate sulle etichette degli alimentatori/trasformatori.

Avvertenza:

Nella continua ricerca di miglioramento Knikerboker si riserva il diritto di apportare delle modifiche ai propri prodotti o parte degli stessi senza preavviso ed in qualsiasi momento.

Knikerboker

assolve l'obbligo dello smaltimento a norma di legge delle apparecchiature elettriche ed elettroniche, associandosi ai consorzi delle rispettive nazioni.

All Knikerboker's lamps are made with high quality material and they are submit to a careful inspection and final test. The lamp's inspection during every step of production warrantee the quality. The product is marked and submit to the European prescriptive and belongs to IP 20 in I Class. Knikerboker warrantees these lamps, through the CE prescriptive from the date of purchase. The guarantee gives the due of substitution, free repair of all the parts defective from the manufacture. The guarantee does not apply to light, bulbs, transformers and power supplies shipping damage, damage resulting from alternations, unauthorized repairs of service, misuse or improper maintenance. This guarantee shall not be extended, subsequent to repair beyond the warranty period. No responsibility is assumed for any accidental damages to people and/or things arising out of the use or inability to use this product.

Dimming:

All dimmable items must be used with dimmers with the technical features specified on the labels of the power supplies/transformers.

Warning:

In its constant search for improvement, Knikerboker reserves the right to carry changes to the products or part of them without notice and in every moment.

Knikerboker

fulfills the obligation to dispose of the electric and electronical equipment according to law, joining different countries' corporations.

Alle Knikerboker Leuchten werden aus hochwertigen Materialien erstellt und einer aufmerksamen Endkontrolle unterzogen. Die Kontrolle während der Produktion gewährleistet die Gesamtqualität. Unsere Produkte sind CE zertifiziert und gehören standardmäßig der Klasse I, IP 20 an.

Knikerboker haftet für die eigenen Produkte gemäß der EU- Regelungen ab dem Verkaufsdatum. Produktionsmängel berechtigen im Rahmen der Garantie zum Austausch oder zur kostenlosen Reparatur der beschädigten Teile. Transportschäden, Reparatur durch Dritte, unbefugte Eingriffe oder nicht ordnungsgemäße Verwendung sind von der Garantie ausgenommen.

Von der Garantie sind Leuchtmittel, Transformatoren und Betriebsgeräte ausgeschlossen. Ebenso ist die Verlängerung der Garantie nach einer erfolgten Reparatur ausgeschlossen.

Für Schäden an Personen und/oder Sachen durch unsachgemäße Verwendung der Produkte wird nicht gehaftet.

Dimmbarkeit:

Für alle dimmbaren Produkte müssen Dimmer genutzt werden, die kompatibel mit den technischen Eigenschaften der Trafos oder Betriebsgeräten sind.

Entsprechende Hinweise befinden sich auf den Etiketten.

Hinweise:

Knikerboker behält sich vor, eigene Produkte ohne Vorankündigung jederzeit zu modifizieren oder zu verbessern.

Knikerboker

erfüllt die Pflicht der Entsorgung von Elektronik und Elektrogeräten laut der entsprechenden Elektrogesetzen.

# Our finishings

## PAINTED FINISHINGS

|                     |    |                                                                                     |
|---------------------|----|-------------------------------------------------------------------------------------|
| embossed white      | B  |  |
| embossed black      | N  |  |
| metallic anthracite | MA |  |
| coffee              | CA |  |
| purple red          | PR |  |
| rust                | RU |  |
| embossed brown      | BR |  |
| sahara              | S  |  |
| champagne           | CH |  |
| antique pink        | R  |  |
| satin copper        | RS |  |

|                   |      |                                                                                     |
|-------------------|------|-------------------------------------------------------------------------------------|
| gold leaf/white   | TO/B |  |
| silver leaf/white | TA/B |  |
| copper leaf/white | TR/B |  |
| bronze leaf/white | TB/B |  |

|                   |      |                                                                                      |
|-------------------|------|--------------------------------------------------------------------------------------|
| gold leaf/black   | TO/N |   |
| silver leaf/black | TA/N |   |
| copper leaf/black | TR/N |   |
| bronze leaf/black | TB/N |  |

|                                 |       |                                                                                       |
|---------------------------------|-------|---------------------------------------------------------------------------------------|
| gold leaf/metallic anthracite   | TO/MA |  |
| silver leaf/metallic anthracite | TA/MA |  |
| copper leaf/metallic anthracite | TR/MA |  |
| bronze leaf/metallic anthracite | TB/MA |  |

|                    |       |                                                                                       |
|--------------------|-------|---------------------------------------------------------------------------------------|
| gold leaf/coffee   | TO/CA |  |
| silver leaf/coffee | TA/CA |  |
| copper leaf/coffee | TR/CA |  |
| bronze leaf/coffee | TB/CA |  |

|                        |       |                                                                                       |
|------------------------|-------|---------------------------------------------------------------------------------------|
| gold leaf/purple red   | TO/PR |  |
| silver leaf/purple red | TA/PR |  |
| copper leaf/purple red | TR/PR |  |
| bronze leaf/purple red | TB/PR |  |

## LEAF FINISHINGS

|             |    |                                                                                     |
|-------------|----|-------------------------------------------------------------------------------------|
| gold leaf   | TO |  |
| silver leaf | TA |  |
| copper leaf | TR |  |
| bronze leaf | TB |  |

|                            |       |                                                                                     |
|----------------------------|-------|-------------------------------------------------------------------------------------|
| gold leaf/embossed brown   | TO/BR |  |
| silver leaf/embossed brown | TA/BR |  |
| copper leaf/embossed brown | TR/BR |  |
| bronze leaf/embossed brown | TB/BR |  |

|                    |      |                                                                                      |
|--------------------|------|--------------------------------------------------------------------------------------|
| gold leaf/sahara   | TO/S |   |
| silver leaf/sahara | TA/S |   |
| copper leaf/sahara | TR/S |   |
| bronze leaf/sahara | TB/S |  |

|                       |       |                                                                                       |
|-----------------------|-------|---------------------------------------------------------------------------------------|
| gold leaf/champagne   | TO/CH |  |
| silver leaf/champagne | TA/CH |  |
| copper leaf/champagne | TR/CH |  |
| bronze leaf/champagne | TB/CH |  |

|                          |      |                                                                                       |
|--------------------------|------|---------------------------------------------------------------------------------------|
| gold leaf/antique pink   | TO/R |  |
| silver leaf/antique pink | TA/R |  |
| copper leaf/antique pink | TR/R |  |
| bronze leaf/antique pink | TB/R |  |


|                          |       |                                                                                       |
|--------------------------|-------|---------------------------------------------------------------------------------------|
| gold leaf/satin copper   | TO/RS |  |
| silver leaf/satin copper | TA/RS |  |
| copper leaf/satin copper | TR/RS |  |
| bronze leaf/satin copper | TB/RS |  |

In caso di doppia finitura, il primo colore coincide con l'esterno, il secondo con l'interno.  
Per esempio: foglia argento (esterno) bianco (interno)  
Finiture speciali "a richiesta"  
La finitura ruggine non è disponibile per tutte le collezioni.

In case of double finishing, the first color coincides with outside, the second one with inside.  
For example: silver leaf (outside) white (inside)  
Special finishings "on request"  
Rust finishing is not available for all the collections.

Bei einer doppelten Oberflächenbehandlung ist die erste Farbe für die Außenseite und die zweite für die Innenseite der Leuchte bestimmt.  
Zum Beispiel: Blattsilber (außen) weiß (innen)  
Sonderausführungen auf Anfrage  
Die Rostausführung ist nicht für alle Kollektionen verfügbar

  
knikerboker  
the art of hand made



knikerboker s.r.l. – via Delle Rose,7 – 24040 Lallio (Bg) Italy  
tel. +39 (0)35 200536 – fax +39 (0)35 4327902 – p.iva/cf 03091640163  
info@knikerboker.it – www.knikerboker.it – skype: infoknikerboker